



MACRO DECK Concrete Protector

Material Safety Data Sheet

MACRO DECK is manufactured by STAR Specialty Technology and Research. MACRO DECK and other STAR products are available from McConnell & Associates, Corp.

Section I - Identification

Product Name STAR MACRO DECK Coating and Penetrant for concrete surfaces
Chemical Family Latex Specialty Additive
Chemical Name Proprietary
Prepared by G.C. Dubey

H.M.I.S.	
Health	= 1
Fire	= 1
Reactivity	= 1

N/A = Data Not Available N/AP = Not Applicable

Special Fire Fighting Procedures: Water may be used to cool exposed containers to prevent pressure build up and possible rupture. Wear self-contained breathing equipment and protective clothing. Water may be ineffective to control fires. If water is used, fog nozzles are preferred.

Explosive Power N/AP
Burning Rate N/AP

Section II - Ingredients

Ingredients	Case #	WT%	Exposure Limits (OSHA/ACGIH)	
			PEL	TLV
Water	7732-18-5	78-80	None	None
Polymer	Proprietary	18-20	None	None
Surfactants	Proprietary	1- 2	None	None

Section V - Health Hazard Data

Threshold Limit Value N/A
 Routes Of Entry Skin, eyes, inhalation, ingestion.
 Effects Of Overexposure Acute: NO Chronic: NO

Acute

Eyes: May cause eye irritation.
 Skin: May cause irritation, material is slightly alkaline.
 Inhalation: May cause nausea and headache.
 Ingestion: May cause nausea, cramps, vomiting, diarrhea or acute effects.

Chronic

No Chronic Toxicity has been established.
Medical conditions prone to aggravation by exposure: None Known.

Carcinogenic: IARC- NO NTP- NO OSHA- NO ACGIH- NO

SECTION III - Physical Data

Boiling Point	Vapor Pressure (mm Hg)	Vapor Density (Air=1)	Appearance	
212-370 °F	25	0.6	Translucent, light green color liquid with latex odor	
Evaporation Rate (Water=1)	Specific Gravity	% Volatile by Weight approx.. 75%	Freezing Point	
1	1.03		32 °F / 0° C	
Miscibility w/Water	Threshold Odor	pH	VOC gm/liter	VOC lb/Gal
Infinite	N/AP	7-8	51	0.43

Section IV - Fire and Explosion Hazard Data

Flammability Classification	Flash Point (method used)	Flammable LEL	Limits UEL
OSHA - CLASS III B DOT- NOT REGULATED	Over 200 °F	2.6	N/A

Combustion Products	Extinguishing Media
CO, CO2, Residual Monomer vapor	Foam, Dry Chemical, CO2

Emergency and First Aid Procedures

Eyes Immediately flush with plenty of water for 15 minutes, call a physician, if condition persists.
Skin Wash thoroughly with plenty of water and soap. Remove and wash contaminated clothing. Consult a physician if irritation persists.
Inhalation Move to fresh air, Restore breathing if required. Treat symptomatically. Consult a physician.
Ingestion Induce vomiting only if the patient is conscious. Consult a physician or Poison Control Center immediately treat symptomatically. Show Material Safety Data Sheet or label.

Unusual Fire and Explosion Hazards: Containers may rupture due to steam pressure build up when exposed to intense heat. Product may splatter if the temperature exceeds the boiling point of water.

Section VI - Reactivity Data

Stability	Conditions to Avoid	Incompatibility
Stable	Keep from freezing	(Materials to Avoid) None reasonably foreseeable.

Hazardous Decomposition Products: May produce fumes when heated to decomposition, as in welding or fire. Fumes may contain CO, CO₂, Hydrocarbons and other products of combustion.

Hazardous Polymerization: Will not occur.

Section VII - Spill or Leak Procedures

SARA Title III

302 - No # 304 CERLA - No # 313 - No

Steps to be Taken in Case Material is Released or Spilled

- Limit spread of leak or spill.
- Ventilate the area.
- Avoid falls, as the floors may become slippery when the product is spilled.
- Wear approved respiratory protection.
- Wear suitable protective clothing, gloves and eye/face protection.
- Soak up with an inert absorbent material like sand or earth and pick up waste material.
- Put in a sealed approved container.
- Keep material out of sewers, drains and bodies of water.

The product is not considered a hazardous waste under current federal RCRA requirements.

Reportable Quantity - N/A TPQ (Lb.) - N/A
Regulations - N/A Hazardous Waste - N/A

Section VIII - Safe Handling and Protection Information

Ventilation: Use local exhaust ventilation to control mists or vapors generated when using this product. Ventilation must be adequate to keep exposure below regulated limits as noted in section II.

Respiratory Protection: A qualified person should select appropriate respiratory protection if exposure is expected to be excessive.

Protective Gloves: Rubber Gloves, chemically resistant.

Eye Protection: Wear safety glasses, goggles or face shield.

Other Protective Equipment: Wear suitable protective clothing. Remove and wash contaminated clothing before re-use. A source of clean water shall be available for washing eyes and skin.

Hygienic Practices: Wash hands before eating, smoking or using washrooms. Smoke only in designated areas.

Section IX - Special Precautions

1. Keep out of reach of children.
2. For professional and industrial use only.
3. Do not handle until manufacturer's safety precautions have been read and understood.
4. Use only with adequate ventilation.

5. Do not take internally.
6. Avoid contact with eyes and skin. Liquid penetrates leather and shoes causing delayed burns.
7. Wash thoroughly after using. Practice safe hygiene principles.
8. Additional Technical Data Sheets and/or M.S.D.S.s are available upon request.
9. Store between 50-100 °F. Keep the containers tightly closed after each use.

The recommendations and information provided herein are believed to be accurate as the date hereof. However, such information and recommendations are provided without warranty of any kind and S.T.A.R., Inc. disclaims all liability or legal responsibility for use and reliance upon the same.

Manufacturer:

S.T.A.R., INC. • 1400 Walcutt Road • Columbus, Ohio 43228

Emergency Phone No. CHEM-TEL 800-255-3924
Information Phone No. 614-870-0744
Date of Preparation September 13, 2002
Supersedes Date February 15, 2001



McConnell & Associates

Kansas City (816) 842-6066 / (800) 779-6066

Pevely (636) 475-7733

www.McConnellAssociates.org